		
		Formo Rele 1012 Ad
ند.	m ²	Approved For Release 2002/08/28 P. PDP70-00211R000200010019-7
-	ž.	Approved For Release 2002/08/28: Opt RDP70-00211R000200010019-7
1		Jellow - up -
		pación - gr
		1-1-1/11
		" " To and an 1006
	i	Chief, Records Management Staff
	,	
		Acting Chief, Regulations Control Staff form has been revised and found carried to the plant 12/6/56
		Acting Chief, Regulations Control Staff
		hand carries to the print 146/56
}		
		Revision of Form No. 1075, Application and Claim for Home Serv-
		ice Transfer Allowance 2. Plant has scheduled to have printed and delivered out on
!		punty and delivered out on
		12/11/56. This dilevery will be 1000 copies to each of the (4)BSO's
		1000 copies to each of the (4) \$50 a
		1. This Staff was requested by the DD/S's office to ex- and 21,000 to
		pedite the processing of revised Regulation The warehouse, 25X1
25X1		The Home Service Transfer Allowance. 3. The eld stocks X headquarters regulation is to be sent up on this date to DD/S \$25,000 coffees for authentication.
		25,000 colores
		headquarters regulation is to be sent up on this date to DD/S
		for authentication.
		2. The revised regulations have attached thereto Form No. 1675. Application and Claim for Home Service Transfer Al-
		MAL WATER STANDARD AND AND AND AND AND AND AND AND AND AN
i i		lowance. It is to be noted that this is a currently used form 25X1A9A
		of which, I understand, there is substantial number in book.
İ		The MD/P, upon authentication, requested that the stock of the
		present form be destroyed and that the revised Form No. 1075
		be printed. In this connection the DD/P has requested as
		follows:
		"Immediate action should be taken to print
į.		the revised Form No. 1075 rather then weit
1		until the present stock is exhausted. As
		soon as the revised Form No. 1075 has been
		printed, all stocks of the present form at
		the Warehouse and in Supply Rooms should be
		destroyed and this office notified so that
1		we may in turn notify DDP components that
į		Form No. 1075 dated 1 October 1956 should
		no longer be used."
		3. In view of the fact that the DD/S has requested ex-
)		peditions handling of the regulation and since the regulation
Š		cannot be published without the revised form being concur-
(.		rently published, it is desired that your office take action
ŧ.		as soon as possible to get the revised form published. Ac-
į	25X1A9A	cording to Mr. Special Assistant to the ND/S,
		the changes in the revised form, as requested by DD/P, have
		been concurred in by the Office of the Comptroller.
		to the same attached to be been as the second and flower
		4. We are attaching hereto a copy of the revised form
1		for your action.
		05V4A0A
		Enclosure: 25X1A9A
		Revised Form No. 1075 Approved For Release 2002/08/23 - GIA-RDP70-00211R000200010019-7
k L		Application of the second seco
		· 心理者可以 超

MISSING PAGE

ORIGINAL DOCUMENT MISSING PAGE(S):

NO ATTACHMENT